

Cloud and Datacenter Networking

Università degli Studi di Napoli Federico II

Dipartimento di Ingegneria Elettrica e delle Tecnologie dell'Informazione DIETI

Laurea Magistrale in Ingegneria Informatica

Prof. Roberto Canonico

Cloud Computing introduction





- ▶ **Cloud Computing: characteristics, service and deployment models**
- ▶ **Cloud Computing and Utility Computing: benefits and risks**
- ▶ **IaaS, PaaS and SaaS solutions and commercial offerings**

NIST definition of Cloud Computing



- ▶ Cloud computing is a model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources (e.g., networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction
- ▶ <http://www.nist.gov/itl/cloud/>
- ▶ <http://csrc.nist.gov/publications/nistpubs/800-145/SP800-145.pdf>



- ▶ **“Computing may someday be organized as a public utility”**
 - ▶ **John McCarthy, MIT Centennial in 1961**
- ▶ **"As of now, computer networks are still in their infancy. But as they grow up and become more sophisticated, we will probably see the spread of 'computer utilities' which, like present electric and telephone utilities, will service individual homes and offices across the country."**
 - ▶ **Leonard Kleinrock, 1969**
- ▶ **Huge computational and storage capabilities available from utilities**
- ▶ **Metered billing (pay for what you use)**
- ▶ **Simple to use interface to access the capability (e.g., plugging into an outlet)**



- ▶ After
 - ▶ Water
 - ▶ Gas
 - ▶ Electricity
 - ▶ Telephone

- ▶ **Cloud Provider**
 - ▶ An organization that offers cloud services according to a “pay-per-use” model
 - ▶ Examples: Amazon, RackSpace, Salesforce, Google
- ▶ **Service Provider**
 - ▶ An organization that provides services to end users, possibly combining resources and services acquired by one or more Cloud Providers
- ▶ **Cloud Subscriber**
 - ▶ A person or organization that has been authenticated to a cloud and maintains a business relationship with a cloud
- ▶ **End User**
 - ▶ Cloud Subscriber and End User may be different entities or the same
- ▶ Many commercial services accessed through the Internet have been implemented by Service Providers that rely on resources (Virtual Servers, Storage, etc.) provided by Cloud Providers
 - ▶ Eg. Dropbox, Netflix, etc.
- ▶ A classification of cloud actors by NIST may be found at <https://www.nist.gov/itl/important-actors-public-clouds>



- ▶ **Service-based:** Le interfacce di servizio devono essere ben definite e le risposte del provider al consumatore del servizio devono essere completamente automatiche. Il servizio deve essere pronto all'uso e tagliato sulle esigenze dell'utente e non sui vincoli della tecnologia.
- ▶ **Scalabile ed elastico:** Il servizio deve scalare la sua capacità in su e in giù in funzione della domanda dell'utente in modo automatico e alla massima velocità possibile che può essere di pochi secondi o di alcune ore in funzione del servizio. Mentre l'elasticità contraddistingue i pool condivisi di risorse, la scalabilità fa parte della sottostante piattaforma hardware e software. Il servizio scala on demand per aggiungere e togliere risorse secondo necessità.
- ▶ **Condivisione delle risorse:** i servizi condividono un pool di risorse per realizzare economie di scala. Le risorse IT sono usate con il massimo dell'efficienza. La condivisione della piattaforma hardware e software permette di destinare le risorse inutilizzate ad altri servizi o compiti.



- ▶ **Misura dei servizi erogati:** si tiene traccia dei servizi con una misurazione del loro utilizzo per consentire diversi modelli di pagamento. Il service provider dispone di un modello di contabilità per misurare l'uso dei servizi e creare differenti modelli di prezzo: pay as you go, abbonamenti, piani gratuiti, piani flat. Il pagamento si basa sull'uso e non sul costo degli apparati. I parametri dei servizi consumati possono essere ore, trasferimento di dati, ecc.
- ▶ **Uso di tecnologie Internet:** il servizio viene erogato usando l'infrastruttura Internet e le tecnologie ad essa legate.

Service Level Agreements (SLAs)



- ▶ Contract between customers and service providers
- ▶ An SLA determines the level of service to be provided
- ▶ Contains performance metrics (e.g., uptime, throughput, response time)
- ▶ Problem management details
- ▶ Documented security capabilities
- ▶ Contains penalties for non-performance (SLA violations)
- ▶ See <http://www.sla-zone.co.uk>


Primary Technologies

- ▶ Virtualization
- ▶ Grid technology
- ▶ Service Oriented Architectures
- ▶ Distributed Computing
- ▶ Broadband Networks
- ▶ Browser as a platform
- ▶ Free and Open Source Software


Other Technologies

- ▶ Autonomic Systems
- ▶ Web 2.0
- ▶ Web application frameworks
- ▶ Service Level Agreements


Cloud Computing: enabling technologies




Traditional Infrastructure Dimensioning Model




Acceptable Surplus




Traditional Dimensioning Model in the real world




Unacceptable Surplus




Unacceptable Deficit



Utility Infrastructure Model






The NIST Cloud Definition Framework




Deployment Models



Service Models



Essential Characteristics



Common Characteristics



▶ Public cloud

- ▶ Public cloud (off-site and remote) describes cloud computing where resources are dynamically provisioned on an on-demand, self-service basis over the Internet, via web applications/web services, open API, from a third-party provider who bills on a utility computing basis

▶ Private cloud

- ▶ A private cloud environment is often the first step for a corporation prior to adopting a public cloud initiative. Corporations have discovered the benefits of consolidating shared services on virtualized hardware deployed from a primary datacenter to serve local and remote users

▶ Hybrid cloud

- ▶ A hybrid cloud environment consists of some portion of computing resources on-site (on premise) and off-site (public cloud). By integrating public cloud services, users can leverage cloud solutions for specific functions that are too costly to maintain on-premise such as virtual server disaster recovery, backups and test/development environments

▶ Community cloud

- ▶ A community cloud is formed when several organizations with similar requirements share common infrastructure. Costs are spread over fewer users than a public cloud but more than a single tenant



- ▶ **IaaS – Infrastructure as a Service**
- ▶ **PaaS – Platform as a Service**
- ▶ **SaaS – Software as a Service**
- ▶ **DaaS – Desktop as a Service**
- ▶ **Sensor as a Service**
- ▶ ...
- ▶ **XaaS - Everything as a Service**

- ▶ IaaS consists in delivering a technology infrastructure as an on demand scalable service
 - ▶ Usually billed based on usage
- ▶ IaaS is not managed hosting: traditional managed hosting is a form of web hosting where a user chooses to lease entire server(s) housed in an off-site data center
- ▶ IaaS providers rely on large-scale datacenters in which they gather large amounts of IT resources shared among customers (multi-tenancy)
 - ▶ Servers
 - ▶ Storage systems
 - ▶ Network devices
 - ▶ Specialized devices: IDS, VPN servers, firewalls, load balancers
- ▶ Use of virtualization at all levels (servers, storage, network) allows high levels of utilization of available resources
- ▶ Cloud datacenters need very good connectivity to the Internet
- ▶ Public IaaS providers have built several datacenters located in several countries all over the five continents for redundancy and to reduce access latencies

IaaS Examples



Il Cloud Computing per il tuo Business



Il futuro firmato Telecom Italia





- ▶ PaaS provides all of the facilities required to support the complete life cycle of building and delivering web applications and services
- ▶ Three kinds of PaaS solutions:
 - ▶ Those which are coupled to a specific public IaaS platform
 - ▶ Many of these are directly provided by IaaS providers
 - ▶ Those which are compatible with several IaaS providers
 - ▶ Application developers may choose the IaaS provider
 - ▶ Those which are offered as a service that includes the acquisition of IaaS resources
 - ▶ The PaaS provider has its own resources or buys them from a 3rd party IaaS provider
 - ▶ The application developer does not directly buy IaaS services
- ▶ Characteristics of PaaS platforms:
 - ▶ Support for the creation of highly scalable and reliable multi-tier SW applications
 - ▶ Isolation guarantees in a multi-tenant environment
 - ▶ Support for several programming languages
 - ▶ Support for several operating systems to execute the hosted applications


PaaS Examples





- ▶ SaaS is a software delivery methodology that provides licensed multi-tenant access to software and its functions remotely as a Web-based service
 - ▶ Usually billed based on usage
 - ▶ Usually multi tenant environment
 - ▶ Highly scalable architecture
- ▶ SaaS is not ASP 2.0 !
 - ▶ The old-days ASP model concentrated on providing an organization with the ability to move certain application processing duties to leased third-party managed servers
 - ▶ ASPs were not necessarily concerned about providing shared services to multiple tenants, but rather hosting a dedicated application on behalf of the customer

SaaS Examples



Software-as-a-Service: Google apps



The screenshot shows the Google Drive web interface. At the top, there's a search bar and navigation links. Below that, a sidebar on the left lists categories like 'My Drive', 'Shared with me', 'Recent', and 'All items'. The main area displays a table of files with columns for 'TITLE', 'OWNER', and 'LAST MODIFIED'. Files include documents, spreadsheets, and presentations, some with star icons indicating favorites.




TITLE	OWNER	LAST MODIFIED
Degree Engineering College Stored My Drive	me	Feb 12 '12
Library association My Drive	me	Feb 5 '12
Opuscol Samarasekera News, Kutchinera Stored My Drive	me	Feb 5 '12
7 sem stu books list My Drive	me	Jan 4 '12
Untitled document My Drive	me	7/9/12 '12
CLAIMS FORM GOOGLE docx My Drive	me	1/29/12 '12
tencher of samini-1.jpg My Drive	me	11/9/11 '12
statement_for_forum My Drive	me	10/3/11 '12
Know.unknow_1.pdf Shared	Mauik Gandhi	3/23/11 '12
additional order My Drive	me	3/14/11 '12
copy of remaining order My Drive	me	3/14/11 '12
copy of remaining order My Drive	me	3/24/11 '12
additional order My Drive	me	3/4/11 '12
6 sp 11 My Drive	me	7/27/11 '12

The screenshot shows the Google Calendar web interface. It features a navigation bar at the top with a search bar and a 'Calendar' button. Below the navigation, there are tabs for 'Today', 'Previous', and 'Next' months. The main area displays a monthly calendar grid for March 2012, with days of the week and dates visible. A sidebar on the left allows for switching between different calendars.

The screenshot shows the Google Sites web interface. It features a search bar and navigation links at the top. Below that, there's a main heading 'Thinking of creating a website?' followed by a sub-heading 'Google Sites is a free and easy way to create and share webpages. Learn more.' A central graphic shows a computer monitor, a mouse, and a tablet. To the right, there's a section titled 'Use Sites to' with bullet points: 'Plan and manage your website', 'Share content across company networks', 'Collaborate on a team project', and 'Stay connected with family members'. A 'Learn more about Google Sites' link is at the bottom.

The screenshot shows the Google Talk software download page. It features a search bar and navigation links at the top. Below that, there's a heading 'Check out the following ways to chat on the web and on your desktop.' Two main sections are visible: 'Video and voice plug-in' and 'Google Talk software'. The 'Video and voice plug-in' section includes a video thumbnail and a list of features: 'Chat within Gmail, iGoogle, and other', 'All on the web', and 'PC and Mac'. The 'Google Talk software' section includes a software thumbnail and a list of features: 'Chat from your desktop', 'Send and receive files', and 'PC only'. Both sections have 'Learn more' links and 'Install' buttons. At the bottom, there's a note: 'Note that Google Talk is not a telephone service and cannot be used for emergency dialing.' The footer includes '©2011 Google - Privacy Policy - Legal Notices'.


Service Model Architectures



Advantages of Cloud Computing services for end users



- ▶ Not necessary to invest in acquiring, maintaining and update IT infrastructures
- ▶ Cost of software licenses included in the service
- ▶ Customizability of services
- ▶ Cloud providers that have specialization in a particular area (such as e-mail) can bring advanced services that a single company might not be able to afford or develop
- ▶ Scalability, reliability, and efficiency



- ▶ Managing IT resources “as if they were in the Cloud” may bring the benefits of virtualization and consolidation within an organization’s IT department
- ▶ Furthermore, this process paves the way for opening up to Public and Hybrid Cloud adoption
- ▶ VMware enriched its portfolio with a Private Cloud management suite
 - ▶ VMware vCloud Suite extends the VMware vSphere hypervisor
- ▶ In the last few years a few open-source projects have been established to develop software suites to manage IaaS services in Private Cloud environments

- ▶ OpenStack
- ▶ OpenNebula
- ▶ Eucalyptus



- ▶ Hardware vendors are also pushing the Private Cloud market
 - ▶ HP Elion (HPE) supports both Eucalyptus and OpenStack
 - ▶ Dell Red Hat OpenStack cloud
 - ▶ Cisco Metapod Private Cloud Solution based on OpenStack
 - ▶ Ericsson-Mirantis partnership (OpenStack)